


MERRICK & DAY

WOODEN CURTAIN POLES TECHNICAL DETAILS

35MM WOODEN POLES



All dimensions in millimetres unless otherwise stated

FINIALS



POLE LENGTH


Maximum single pole length 2.4m span without central bracket 1.8m/71"



BRACKETS




Woodern Recess Bracket




Wooden Cup Bracket


Wooden Extension Block




Flat Wooden Bracket




Chrome/Brass End Bracket




Chrome/Brass Centre Bracket



Metal Recess Bracket



Extension End Bracket



Extension Centre Bracket



MERRICK & DAY

WOODEN CURTAIN POLES TECHNICAL DETAILS

ACCESSORIES

All dimensions in millimetres unless otherwise stated

HOLDBACKS




35mm Wooden Poles

Maximum span between brackets 1.8m (71")

Maximum Single Pole length 2.4m (94")

DRAW RODS




MERRICK & DAY

WOODEN CURTAIN POLES TECHNICAL DETAILS

50MM WOODEN POLES



All dimensions in millimetres unless otherwise stated

FINIALS






POLE LENGTH

Maximum single pole length/span without central bracket 2.4m/94"



BRACKETS



Extension End Bracket

Extension Centre Bracket


MERRICK & DAY

WOODEN CURTAIN POLES TECHNICAL DETAILS



ACCESSORIES

All dimensions in millimetres unless otherwise stated

HOLDBACKS



DRAW RODS



50mm Wooden Poles

Maximum span between brackets 2.4m (94")

Maximum Single Pole length 2.4m (94")


MERRICK & DAY

WOODEN CURTAIN POLES TECHNICAL DETAILS

63MM WOODEN POLES



All dimensions in millimetres unless otherwise stated

FINIALS



POLE LENGTH


Maximum single pole length/span without central bracket 2.4m/94"




BRACKETS




Wooden Recess Bracket




Wooden Cup Bracket




Flat Wooden Bracket




Chrome/Brass End Bracket



Chrome/Brass Centre Bracket



Metal Recess Bracket



Extension End Bracket

Extension Centre Bracket


MERRICK & DAY

WOODEN CURTAIN POLES TECHNICAL DETAILS


ACCESSORIES

All dimensions in millimetres unless otherwise stated

HOLDBACKS





Large Wooden Holdback



Small Wooden Holdback

DRAW RODS



63mm Wooden Poles

Maximum span between brackets 2.4m (94")


Maximum Single Pole length 2.4m (94")

MERRICK & DAY

POLE/TRACK WEIGHT GUIDELINES


Our maximum recommended loadings are total curtain weight based on a combination of pole/track type and span between brackets

METAL




	Upto 1.5 m	Upto 2.0 m	Upto 2.4 m	Upto 3.0 m
19mm poles	5kg	3kg	N/A	N/A
32mm poles	12kg	10kg	5kg	3kg

WOOD



	Upto 1.5 m	Upto 1.8 m	Upto 2.4 m
35mm poles	8kg	6kg	N/A
50mm poles	15kg	12kg	6kg
63mm poles	25kg	20kg	10kg

TRACK



Metal Elegance
Both Straight & Bendable

10kg per metre (Unlimited Length)